ROCK® 安恒通®

ROCK 安恒通





Anti-theft Door Control Hardware

BEIJING HARDROCK TECHNOLOGY CO.LTD.
Rm.105, Dongyuan Cultural Square
No.330 Dongxindian Chaoyang District, Beijing, China
010-65202861
rock@acerock.com
www.acerock.com

Stainless steel anti theft handle series
















All kinds of Anti-Theft handle can be selected FDS6068/6085 lockbody ,Class B or C cylinder

ROCK 安恒通
















All kinds of Anti-Theft handle can be selected FDS6068/6085 lockbody ,Class B or C cylinder

Stainless steel anti theft handle series
















All kinds of Anti-Theft handle can be selected FDS6068/6085 lockbody,Class B or C cylinder















All kinds of Anti-Theft handle can be selected FDS6068/6085 lockbody ,Class B or C cylinder

Multipoint anti theft lock series






Major Features:
Backset:60mm
Distance:68mm
Latch: SUS304
Deadbolt: SUS304
Faceplate type: Square end
Faceplate size: 240*24*3 260*24*3

Standard Accessories
Strike, fixing screw of lockbody and strike
Multipoint anti-theft lockbody, reversible latch
European standard lock hole design
Lever handle or long plate anti-theft handle optional
Passed Class A 90 minutes fire test
Suitable for wooden door, steel door







Major Features:
Backset：60mm
Distance：68mm
Latch: SUS304
Deadbolt:SUS304
Faceplate type: Square end
Faceplate size: 260*24*3 300*24*3

Standard Accessories
Strike, fixing screw of lockbody and strike
Multipoint anti-theft lockbody, reversible latch
European standard lock hole design
Lever handle or long plate anti-theft handle optional
Passed Class A 90 minutes fire test
Suitable for wooden door, steel door

防盗锁芯



Major Features
High grade copper alloy material
High hardness and wear resistance
Multi-structure cylinder with pins and S groove design, drilling resistant, opening locks resistant for technology
Project lock function,
Project key, decoding key, master key divided
Interchange rate: 1/1500,0000
Anti-theft Level: Class C and B optional




Hinge/Concealed bolt

ROCK 安恒通


Ball Bearing Anti-theft Hinge





Product No. 504030
Material: Stainless Steel
Thickness: 3mm
Accessories: M6 X 12
Loading : 70-85KG






Product No. CK404030
Material: Stainless Steel
Thickness: 3mm
Accessories: M6X 12
Loading : 60-80KG


Flag Hinge





Product No. SF404030/SF454030
Material: Stainless Steel
Thickness: 3mm
Accessories: M5X 12
Loading : 60-80KG







Product No. FG504030
Thickness: 3mm
Material：Stainless steel
Accessories: M6×12
Loading 60-80KG


Anti-theft Door Bolt





Product No. DB02-8
Type: Stainless steel door
Bolt projection：25mm
Material: Stainless steel
Accessories: Strike plate, screw, connecting rod





Product No. DB06
For Steel door
Bolt projection：20mm
Material: Stainless steel
Accessories: Strike plate, screw
Finish: Stainless steel